

# Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

# PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

# IN CERTAIN STATES AND CITIES.

### New Jersey Report for April, 1913.

The State Board of Health of New Jersey reported that during the month of April, 1913, smallpox had been notified in the State as follows: One case in Freehold, 1 case in Millstone Township, Monmouth County, and 1 case in Paterson, Passaic County.

### California-Oakland.

Surg. Long, of the Public Health Service, reported by telegraph that during the week ended May 10, 1913, 2 new cases of smallpox had been notified in Oakland, Cal.

### Indiana-Evansville.

Surg. Clark, of the Public Health Service, reported by telegraph that 30 cases of smallpox had been notified in Evansville, Ind., during the week ended May 10, 1913, making a total of 744 cases reported during the current epidemic.

### Maryland-Camp Parole and Germantown.

The State Department of Health of Maryland reported by telegraph May 7, 1913, that 1 case of smallpox had been notified at Camp Parole, Anne Arundel County, Md., and on May 8 that 5 new cases had been notified at Camp Parole and 2 new cases at Germantown, Anne Arundel County.

### Miscellaneous State Reports.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Arizona (Apr. 1-30): Counties—			Colorado (Apr. 1-30): Counties—		
Gila	2		Boulder	7	
Maricopa	40		Denver	3	
Yavapai	2		Grand	1	
Yumâ	1		Huerfano	1	
			Kit Carson	1	
Total	45		Larimer	4	
			Ouray	6	
Connecticut (Apr. 1-30): Counties—			Total	23	
Middlesex	1		Maine (Jan. 1-31):		
Windham	1		Counties—		l
			Lincoln	1	
Total	2		Oxford	1	

# Miscellaneous State Reports-Continued.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.	
Maine (Jan. 1-31)—Continued. Counties—Continued. Sagadahoe. Somerset. York. Total.	2 1 20 25		Maine (Mar. 1-31)—Continued. Counties—Continued. Cumberland Knox. Oxford. Waldo York.	1 27 3 1 1	1	
Maine (Feb. 1-28): Counties—	The contract of the contract of		Total	34	1	
Cumberland Franklin Knox Sagadahoc Oxford Total	5 1 1 8		Maine (Apr. 1-30): Counties— Androscoggin. Cumberland. Knox Sagadahoc. York	7 1 24 3		
Maine (Mar. 1-31); Counties— Androscoggin	1		Total Pennsylvania (Feb. 1–28)		8	

# City Reports for Week Ended Apr. 26, 1913.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Buffalo, N. Y. Cambridge, Ohio. Chattanooga, Tenn. Chicago, Ill. Cleveland, Ohio Columbus, Ohio Danville, Ill. Evansville, Ind. Kansas City, Kans. La Crosse, Wis Lexington, Ky. Los Angeles, Cal. Milwaukee, Wis Moline, Ill. Montgomery, Ala.	1 8 1 1 1 4 4 1 2 2 2 1 1 2 6 3		Muscatine, Iowa Nashville, Tenn New Bedford, Mass New York, N Northampton, Mass Oakland, Cal Oklahoma, Okla. Peoria, Ill Richmond, Va Roanoke, Va St. Joseph, Mo Spokane, Wash Springfield, Ill Toledo, Ohio Zanesville, Ohio	1 2 1 12 12 5 1 1 1 12 12	

<sup>&</sup>lt;sup>1</sup> Three of these cases occurred in February and March, but were not reported.

# CEREBROSPINAL MENINGITIS.

# Cases and Deaths Reported by Cities for Week Ended Apr. 26, 1913.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Baltimore, Md. Chicago, Ill. Cincinnati, Ohio. Cleveland, Ohio. Elizabeth, N. J. Kansas City, Kans Lancaster, Pa. Los Angeles, Cal. Manchester, N. H. Milwaukee, Wis.	6 1 1 8 1	1 1 4	Muscatine, Iowa. New Bedford, Mass. New Orleans, La. New York, N. Y. Oklahoma, Okla. St. Joseph, Mo. St. Louis, Mo. San Francisco, Cal. Trenton, N. J.	1 2 8 1	1 2 6

### POLIOMYELITIS (INFANTILE PARALYSIS.)

### Cases and Deaths Reported by Cities for Week Ended April 26, 1913.

During the week ended April 26, 1913, poliomyelitis was reported by cities as follows: New York, N. Y., 2 cases with 1 death; Wilkinsburg, Pa., 6 cases.

# ERYSIPELAS. Cases and Deaths Reported by Cities for Week Ended Apr. 26, 1913.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.	
Baltimore, Md Binghamton, N. Y Boston, Mass Buffalo, N. Y Chicago, Ill Cincinnati, Ohio Cleveland, Ohio Erie, Pa Harrisburg, Pa Lynn, Mass Milwaukee, Wis Newark, N. Y New Castle, Pa	3 6 15 4 11 1 2	1 1 4 2 1	San Francisco, Cal South Bethlehem. Pa	19 8 1 14 4 1	10	

#### LEPROSY.

### California-San Francisco.

Surg. Long, of the Public Health Service, reported by telegraph that during the week ended May 10, 1913, 1 case of leprosy had been notified in San Francisco, Cal.

# PLAGUE. Rats Collected and Examined.

Places.	Week ended—	Found dead.	Total collected.	Exam- ined.	Found infected.
California: Cttles— Berkeley Oakland San Francisco Washington: City— Seattle	do	3 26 9	162 550 1,755	107 396 1,128 956	

### California-Squirrels Collected and Examined.

During the week ended April 26, 1913, there were examined for plague infection 1,290 ground squirrels from Contra Costa County, 88 from Alameda County, 64 from Santa Clara County, and 25 from San Joaquin County. No plague-infected squirrel was found.

May 16, 1913 946

# PNEUMONIA. Cases and Deaths Reported by Cities for Week Ended Apr. 26, 1913.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Auburn, N. Y. Binghamton, N. Y. Braddock, Pa. Chicago, Ill. Cleveland, Ohio. Dunkirk, N. Y. Elmira, N. Y. Fountain, Colo. Galesburg, Ill. Grand Rapids, Mich. Homestead, Pa. Kalamazoo, Mich. Lancaster, Pa. Los Angeles, Cal. Manchester, N. H.	3 116 335 1 1 2 1 1 1 3 2 5 5	17 1 1 2 2 2 3	Mount Vernon, N. Y New Castle, Pa Newport, Ky Philadelphia, Pa Pittsburgh, Pa Reading, Pa San Diego, Cal San Francisco, Cal Saratoga Springs, N. Y Schenectady, N. Y Trenton, N. J Wilkes-Barre, Pa Williamsport, Pa York, Pa	3 1 21 30 2 1 12 2 3 10 11 11	1 55 32 2 1 1 3

#### RABIES.

### East Orange, N. J.—Rabies in an Animal.

The health officer at East Orange, N. J., reported the occurrence of rabies in a dog during the week ended April 26, 1913.

### TETANUS.

During the week ended April 26, 1913, tetanus was reported by cities as follows: Fall River, Mass., 1 case; Montclair, N. J., 1 case; New Orleans, La., 1 death; Portsmouth, Va., 1 death; Richmond, Va., 1 death; St. Louis, Mo., 2 cases with 2 deaths.

### SCARLET FEVER, MEASLES, DIPHTHERIA, AND TUBERCULOSIS.

### Juneau, Alaska-Measles.

Passed Asst. Surg. Krulish, of the Public Health Service, reported that during the week ended May 3, 1913, 6 cases of measles, with 1 death, had occurred in Juneau, Alaska, making a total of 10 cases, with 1 death, since April 19, 1913.

### Pittsburgh, Pa.-Measles.

Surg. Stoner, of the Public Health Service, reported by telegraph that during the week ended May 10, 1913, 162 cases of measles had been notified in Pittsburgh, Pa., making a total of 8,879, with 140 deaths, since the beginning of the outbreak, November 1, 1912.

# SCARLET FEVER, MEASLES, DIPHTHERIA, AND TUBERCULOSIS—Contd. Cases and Deaths Reported by Cities for Week Ended Apr. 26, 1913.

	Popula- tion,	Total	Diph	theria.	Mea	sles.	Sca fev	rlet er.	Tube si	rculo- s.
Cities.	United States census 1910.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants: Baltimore, Md. Boston, Mass. Chicago, Ill. Cleveland, Ohio. New York, N. Y Philadelphia Pittsburg, Pa St. Louis, Mo From 300,000 to 500,000 inhabitants	558, 485 670, 585 2, 185, 283 560, 663 4, 766, 883 1, 549, 008 533, 905 687, 029	199 235 752 166 1,677 535 201 204	9 38 148 47 368 57 25 30	2 1 22 3 42 9 6 3	465 193 612 176 1, 359 682 181 209	7 4 16 2 26 9 5 3	24 48 353 35 323 105 39 28	1 5 25 3 11 6 3 3	39 74 249 25 499 80 42 59	18 19 82 16 241 62 14 24
ants: Buffalo, N. Y. Cincinnati, Ohio. Los Angeles, Cal. Milwaukee, Wis. Newark, N. J. New Orleans, La. San Francisco, Cal. Washington, D. C. From 200,000 to 300,000 inhabit-	423,715 364,463 319,198 373,857 347,469 339,075 416,912 331,069	173 125 135 121 105 133 128 126	19 15 19 28 25 21 4 15	1 4 1 1	170 32 588 33 85 261 29 179	5 1 3 1	20 12 7 24 21 4 8 13	4	10 30 34 23 50 23 28 31	13 23 29 13 11 2 11
ants:     Jersey City, N. J  Providence, R. I  From 100,000 to 200,000 inhabit-	267, 779 224, 326	94 78	20		12	····i	13	2 1		9 12
ants: Bridgeport, Conn Cambridge, Mass. Columbus, Ohio Dayton, Ohio Fall River, Mass Grand Rapids, Mich Lowell, Mass. Nashville, Tenn Oakland, Cal Richmond, Va Spokane, Wash Toledo, Ohio Worcester, Mass From 50,000 to 100,000 inhabit-	102, 054 104, 839 181, 548 116, 577 119, 295 112, 571 106, 294 110, 364 150, 174 127, 628 104, 402 168, 497 145, 986	34 30 60 40 36 33 42 39 53 42	1 6 8 6 6 6 4  1 1 1 2 2 4	1 2 1 1	5 90 6 43 31 35  40 8 67 35	1 8 1 1 2	15 5 9 2 23 13 7 1 1 1 3 6 8	4 1	8 6 2 3 3 1 2  15 8	3 6 5 5 5 3 1 5 2 4 6 2 5 5 5
ants: Altoona, Pa. Bayonne, N. J. Brockton, Mass. Camden, N. J. Elizabeth, N. J. Elizabeth, N. J. Elizabeth, N. J. Evansville, Ind. Fort Wayne, Ind. Harrisburg, Pa. Hartford, Conn. Hoboken, N. J. Johnstown, Pa. Kansas City, Kans. Lawrence, Mass. Lynn, Mass. Manchester, N. H. New Bedford, Mass. Oklahoma City, Okla. Passaic, N. J. Pawtucket, R. I. Peoria, Ill. Reading, Pa. Saginaw, Mich. St. Joseph, Mo. Schenectady, N. Y. South Bend, Ind. Springfield, Ill. Springfield, Mass. Trenton, N. J. Wilkes-Barre, Pa. Yonkers, N. Y. From 25,000 to 50,000 inhabitants:	79, 803	18 23 31 121 18 18 14 17 17 18 26 29 15 35 23 17 15 23 40 223 225 11 1	4 3 3 11 5 1 2 2 4 4 1 1 1 1 2 2 2 6 2 2 2 2 2 1 1 4 4 1 1 1 1 1 1 1 1 1 1 1		3 2 2 43 13 64 4 8 8 252 23 35 17 33 37 114 8 18 12 2 35 14 15 7 7 13 69 9	1 5 5	6 4 4 2 2 10 3 3 14 4 3 3 1 9 2 2 5 6 2 4 3 3 9 9 7 7 1 1 8 8 9 9 4 4 2 2 1 1	····i	3 13 2 2 2 2 1 1 3 9 9 7 6 6 1 1	1 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
Atlantic City, N. J. Auburn, N. Y. Aurora, Ill. Binghamton, N. Y. Brookline, Mass. Chattanooga, Tenn.	46, 150 34, 668 29, 807 48, 443 27, 792 44, 604	11 7 8 19	1 1 4 2 1		69 12 1 8		8 1 1		3	3

May 16, 1913 948

SCARLET FEVER, MEASLES, DIPHTHERIA, AND TUBERCULOSIS—Contd.

Cases and Deaths Reported by Cities for Week Ended Apr. 26, 1913—Contd.

Cition	Popula- tion,	Total deaths	Diph	theria.	Mea	sles.	Scarlet fever.			rculo is.
Cities.	United States census 1910.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 25,000 to 50,000 inhabit-										
ants—Continued. Chelsea, Mass.	32,452	18	4		6		2		3	
Chicopee, Mass	25,401	6					2			
Danville, Ill	27,871	7	1		19					
East Orange, N. J Elmira, N. Y	34,371 37,176	11	1		21 12				····i	
Everett, Mass	33, 484	10	2		15		1		1	
Fitchburg, Mass	37,826	12			37				3	
Kalamazoo, Mich.	44, 115 39, 437	7 22	1		18		····i		5	
Kalamazoo, Mich La Crosse, Wis Lancaster, Pa Lexington, Ky Lynchburg, Va	30, 417		4							
Lancaster, Pa	30, 417 47, 227		6				1		2	
Lynchburg Va	35, 099 29, 494	15 13	1 1		6 19				2	
Montgomery, Ala Mount Vernon, N. Y	38, 136	23			2					
Mount Vernon, N. Y	30,919		1		15		1			
Newcastle, Pa. Newport, Ky. Newton, Mass. Niagara Falls, N. Y.	36, 280 30, 309	7	1		41		1		2	
Newton, Mass	39,806	15			8				2	
Niagara Falls, N. Y	30, 445	16			11		24	2	1	
Norristown, Pa Orange, N. J	27,875	9	·		1		1		2	
Pasadena, Cal	29, 630 30, 291	15 13			9				8	
Pittsfield, Mass	32,121	10	1		7		4	1		
Portsmouth, Va	33, 190	12	1		13					
Racine, Wis	$\frac{38,002}{34,874}$	13 12			17 20		3		4	
Roanoke, Va. San Diego, Cal Superior, Wis Taunton, Mass	39, 578	8	2		10				8	
Superior, Wis	40,384	16	2			3	3			
Taunton, Mass	34, 259	19	$\frac{2}{1}$				1	1	2	
Waltham, Mass Wheeling, W. Va Williamsport, Pa Wilmington, N. C.	27,834 $41,641$	7 16	3		16 11				2	The state of the s
Williamsport, Pa	31,860	8	ĭ		16					
Wilmington, N. C	25, 748	8			5	;-				
York, Pa Zanesville, Ohio	$44,750 \\ 28,026$	9	2		2	1	4 3			
Less than 25,000 inhabitants:	20,020	, ,								
Ann Arbor, Mich	14,817	6			20		2		6	
Beaver Falls, Pa Braddock, Pa	12,191 $17,759$	0			8 2		1			• • • • •
Cambridge, Ohio.	17,327	8			1				1	i
Clinton Mace	13,075	0							2	
Columbus, Ind. Concord, N. H	6,719	8					1			• • • • •
Cumberland, Md	$21,477 \\ 21,839$	8			38 14	i			i	
Cumberland, Md Dunkirk, N. Y	11,616	5			7					
Fountain, Colo Franklin, N. H	150	1	1		3				1	
Galeshurg III	6,132 $22,089$	1 5			3		1			
Galesburg, Ill. Harrison, N. J. Homestead, Pa	14, 489	3					2	!	l	
Homestead, Pa	18,713	11								
Kearny, N. J.	$18,659 \\ 8,261$	11			4 31	1	2		2	
Kokomo, Ind. La Fayette, Ind. Marinette, Wis. Marlboro, Mass. Massillon, Ohio. Medford, Mass. Melrose, Mass. Moline, Ill. Monteleir, N. I.	20, 081	17								
Marinette, Wis	14,610	3								
Mariboro, Mass	$13,606 \\ 23,830$	5 1	3		15		1			
Medford Mass	23.850 $23.150$	4			20		3			
Melrose, Mass	15.715	5			2		2			
Moline, Ill	24, 190	7			3					
Montclair, N. J	$21,450 \\ 12,507$	5			5		Z		$\frac{1}{2}$	
Muscatine, Iowa	16,000	7			28					
Nanticoke, Pa	18.857	6			2		2			
Newburyport, Mass	19.240 $22,019$	3 9		• • • • • •	23		1			
North Adams, Mass Northampton, Mass	23,310	8	4				1			
Palmer, Mass	7,801	3								
Plainfield, N. J	23, 550	8 8			32		3 2	1	3 2	• • • •
Rochester, Minn Rutland, Vt	$6.843 \\ 6.719$	2			32	····i	4	1		
Rutland, Vt Saratoga Springs, N. Y	13, 534	8			3 7 7		1			
South Bethlehem, Pa	14 470	5 5			7	1	1 2		2	
Steelton, Pa	14, 479 18. 594	7	1		2					
Woburn, Mass	14.254	4							1	